

order

88011211

ORDINANCE NO. 381D

36A

An Ordinance of the Town of Coupeville, amending Chapter 10.50 of the Development Regulations relating to Public Works Standards:

BE IT ORDAINED by the Town Council of the Town of Coupeville, Washington, as follows:

SECTION 1: The Development Regulations shall be amended as follows:

1. Sections 10.50.015(A) and (B) be replaced with: "(A) Standard specifications and plans for road, bridge and municipal construction published by Washington State Department of Transportation and American Public Works Association except as amended herein or by variance granted in writing by the Town."
2. Section 10.50.015(C) renumber to (B).
3. Section 10.50.015(D)(2) be amended to specify easement width of fifteen (15) feet.
4. Section 10.50.025(A)(5): Change "fire hydrants, within Town limits, shall be AWWA Standard C502".
5. Section 10.50.025(A)(6) be added to read: "Private fire lines: any pipeline to private property or building that is for fire protection only need not be metered but shall be provided with:
 1. An isolation valve at the Town main, and at the edge of the right-of-way, if other use is to be made of said line."
6. Section 10.50.025(A)(7) be added to read: "All materials used in construction of utilities installed in Town rights-of-way shall conform to the Town's Approved Materials List."
7. Section 10.50.025(A)(8) be added to read: "Any person or contractor making repairs or installing new utilities in Town rights-of-way shall furnish to the Town an 'as built' diagram of improvements made."
8. Section 10.50.035 add: "Culvert pipe for driveways shall be minimum thirty (30) feet in length."

SECTION 2: This Ordinance shall be in full force upon posting and recording with the Auditor of Island County, Washington.

PASSED by the Town Council and APPROVED by its Mayor this 22nd day of August, 1988.

ATTEST:

THE TOWN OF COUPEVILLE

Doris A. Ward

DORIS A WARD, TREASURER-CLERK

By: Bette L. Coyne

BETTE L. COYNE, MAYOR

FILED RECORDED
VOL. 1421
PAGE 1421
Town of Coupeville
SEP 9 9 16 AM '88

H.H. FERREN, AUDITOR
ISLAND COUNTY, WASH.
DEPUTY

88011211

ORDINANCE NO. 381D

SECTION 10.50.025 (A)(7)
TOWN OF COUPEVILLE
APPROVED MATERIAL LIST #1 AS OF 8-22-88

WATER

Water Line: Ductile or C-900 PVC
Fittings: Ductile
Valves: AWA C509
Hydrants: AWA C502
Couplings: ROMAC 501

SERVICES

Saddles: 3/4" and 1" - ROMAC 101S
1 1/2" and 2" - ROMAC 202S
2 1/2" and Up - Ductile tee on main line
Corp. Stops: 3/4" and 1" - Ford F1100 CTS Pack Joint
1 1/2" and 2" - Ford FB1100 CTS Pack Joint
2 1/2" and Up - AWA C509 valve on main line
Service Line: 3/4" to 2" - AWA C901 200 psi CTS poly tubing
2 1/2" and Up - Ductile or C-900 PVC
Couplings: 3/4" to 2" - Ford brass pack joint
2 1/2" and Up - ROMAC 501
Fittings: 3/4" to 2" - All miscellaneous fittings
shall be brass
2 1/2" and Up - Ductile

No steel or galvanized fittings are permitted.

METER STOPS - SETTERS:

3/4" - Ford VH72-12W
1" - Ford VH74-12W
1 1/2" - Ford VBH66-12B x meter
2" - Ford VBH77-12B x meter
2 1/2" and Up - Custom with bypass and check valve

METERS: Shall be Rockwell of type and size determined by the Town.

METER BOXES:

Plastic - Carson:

3/4" - 1419 with reader lid
1" - 1320 with reader lid
1 1/2" and 2" - 1730 with reader lid
Larger - Custom

Steel - Olympic Foundry:

3/4" and 1" - SM-29
1 1/2" and 2" - SM-30
Larger - Custom

TRACER TAPE: Shall be 3 inch lineguard Type III or terra-tape
reinforced sentry line